



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 09/876,324
Applicant : Chandler J. Kennedy
Filed : June 7, 2001
Title : Solid-State Laser Using Ytterbium-YAG Composite Medium

TC/A.U. : 2815
Examiner : Matthew C. Landau

Docket No. : 47080-00033

#10
Ltr to Draft
J. McMillan
5/1/03

REQUEST FOR APPROVAL OF DRAWING CHANGES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING
37 C.F.R. 1.8

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. on the date indicated below:

April 18, 2003
Date


Corinne L. Roempke

Dear Commissioner:

Pursuant to 37 C.F.R. § 1.121(d), enclosed is a copy of new FIGS. 5 and 6 showing the Applicant's proposed drawing additions in red ink for which approval by the Examiner is requested.

Specifically, FIG. 5 has been added in response to the Office Action of November 20, 2002, to show a laser slab having a semicircular cross-section. FIG. 6 has been added to show a laser slab having a parabolic cross-section.


The Applicant respectfully submits that the proposed drawing additions do not constitute new matter.

If there are any matters which may be resolved or clarified through a telephone interview, the Examiner is respectfully requested to contact the Applicant's undersigned attorney at the number indicated.

It is believed that no fee is presently due in conjunction with the filing of this Request for Approval of Drawing Changes. However, the Commissioner is authorized to charge any additional fees which may be required (except for payment of the issue fee) to JENKENS & GILCHRIST, P.C. Deposit Account No. 10-0447(47080-00033).

Respectfully submitted,

Date: April 18, 2003



Zachary J. Smolinski
Reg. No. 47,100
JENKENS & GILCHRIST, P.C.
1445 Ross Avenue, Suite 3200
Dallas, Texas 75202-2799
312-425-3900 (Telephone)
214-855-4300 (Facsimile)
Attorneys for Applicants